New Zealand Department of Agriculture.

THE NEW ZEALAND JOURNAL OF AGRICULTURE.

VOL. 45.
(JULY - DECEMBER, 1932.)

Published by direction of
The Hon. C. E. MACMILLAN, Minister of Agriculture.

Editor : R. H. Hooper.

WELLINGTON.
BY AUTHORITY: W. A. G. SKINNER, GOVERNMENT PRINTER.
1932.

THE NEW ZEALAND

JOURNAL OF AGRICULTURE.

VOLUME 45.

(July–December, 1932.)

INDEX.

A.

Abortion disease in dairy herds, detection of, 149.
Agricultural research, recent, a conspectus of, 306.
Almonds, commercial growing of, 247.
Answers to inquiries, 61, 124, 185, 247, 310, 372.
Apiary, the (monthly notes), 53, 116, 175, 239, 300, 362.
Apples, corky pit of, 62.
Apples, "Delicious spot" on, 215.
Apple-grading machines, 244.
Apple-production in New Zealand, some economic phases of, 9, 95.
Apple-trees, unprofitable, conversion of, 218.
Arthritis in lambs, 247.
Aston, B. C.—
The waste lands of New Zealand, 28.
Superphosphate in the drinking-water for cattle, 90.
Pampas-grass and toetoe, 212.
Soils of the New Zealand sea littoral and their plant covering, 311.

B.

Barley seed, hot-water treatment of, in Canterbury, 104.
Beans certification, 355.
Bledisloe, Lord.—Cawthron Lecture, 1932, 306.
Bluestone, powdered, for drenching sheep, 248.
Books received, 62, 307.
Bordeaux mixture, 33.
Botrytis rot in apples, 17.
Brien, R. M.—"Delicious spot" on apples due to *Gloesporium perennans*, 215.
Broad beans: Ridding of aphis, 179.
Brooder chicks, cod-liver oil for, 42.
Brown, F. C.—Poultry-keeping, 51, 114, 173, 237, 298, 361.
Brown-top certification in season 1931–32, 290.
Bruce, J. A.—Commercial fertilizers and their basis of sale, 18, 142, 321.
Bruce, J. A., and Shorland, F. B.—Utilization of natural-heat resources in thermal regions, 272.
Bush-sickness, limonite for control of, 158.
Butter, export, testing of, for moisture and and salt content, 35.

C.

Calder, R. A.—See Hadfield and Calder.
Calves, young, feeding of mixed milk to, 372.
Caseous lymphadenitis, control of, in sheep, 1.
Cattle-lick container from old milk-can, 44.
Cawthron Lecture, Lord Bledisloe's, 306.
Certification of seed potatoes: Crops passed tuber inspection, 57, 121.
Certification of wheat, 135.
Certification, seed, in season 1931–32, 287, 352.
Certified perennial rye-grass, increase-seed growing of, 187.

Certified rye-grass pastures in Wairarapa, 186.
Chamberlain, E. E.—
Tomato leaf-mould (*Cladosporium fulvum*), 136.
Sclerotium-disease of tomatoes, 260.
Cheese, discoloration in, 41.
Chemistry Section.—Fertilizer importations (quarterly), 121, 305.
Chewings fescue, top-dressing of, for seed, 108.
Chicken with malformed beak, 310.
Citrus culture (monthly notes), 50, 114, 172, 236, 298, 360.
Claridge, J. H.—Seed certification: Summary of operations for season 1931–32, 287, 352.
Claridge, J. H.—See Woodcock and Claridge.
Cocker, L. C.—Efficient nesting conditions for fowls: A new type of nest rack, 91.
Cocksfoot certification in season 1931–32, 289.
Cod-liver oil for brooder chicks: Experiment at Wallaceville, 42.
Commercial fertilizers and their basis of sale, 18, 142, 321.
Compensation paid for stock and meat condemned, 331.
Connell, R. P.—The Farm, 45, 109, 168, 230, 293, 356.
Conspectus, a, of recent agricultural research, 306.
Control of caseous lymphadenitis in sheep, 1.
Control of mammitis in dairy cows, 248.
Conversion of unprofitable apple-trees, 218.
Cool storage of onions, 279.
Co-operation by the Wheat Research Institute, 206.
Copper sprays, 33.
Corky pit of apples, 62.
Correction, 121, 305.
Cottier, W.—Insect transmission of dry-rot (*Phoma lingam*) of swedes, 219.
Cows, washing out, after calving, 124.
Cream of honey, 61.
Crimson Cox's Orange apple, 57.
Cunningham, G. H.—Orchard sprays in New Zealand, 33, 70.
Curd test for milk-grading, the, 125.

D.

Dairies, town-supply, inspection of, 320.
Dairy-cow hygiene, 44.
Dairy Division—
Some dairy-factory data, 120.
Grading of export butter and cheese: Leading dairy factory averages for year 1931-32, 182.
Woodlands Felicie qualifies for certificate of record, 259.
Dairy-factory data, some, 120.
Dairy-herd testing in New Zealand: Review of the 1931–32 season, 201.
Davey, M.—A system for selecting varieties of fruit-trees, 227.
Davus, C. V., and Hopkirk, C. S. M.—Control of caseous lymphadenitis in sheep, 1.
"Delicious spot" on apples due to *Gloesporium perennans*, 215.
Discoloration in cheese, 41.
Docks, ridding young pasture of, 310.
Dog with foot trouble, 185.
Dominion Meteorological Office.—Weather records, 58, 122, 180, 244, 308, 368.
Drinking-water, superphosphate in the, for cattle, 90.
Dry-rot of swedes, insect transmission of, 219.

E.

Earp, E. A.—The Apiary, 53, 116, 175, 239, 300, 362.
Economic phases of apple production in New Zealand, some, 9, 95.
Efficient nesting conditions for fowls: A new type of nest rack, 91.
Elliott, A. G.—See McGillivray and Elliott, 150.
Estimates of the season's lambing, 371.
Everett, P.—Wire-bracing of fruit-trees, 268.

F.

Farm, the (monthly notes), 45, 109, 168, 230, 293, 356.
Farm dairy instruction, 292.
Fertilizer importations (quarterly), 121, 305.
Fertilizers, commercial, and their basis of sale, 18, 142, 321.
Fields Division—
Wheat-manuring experiments in the South Island, season 1931–32, 80.
Certification of seed potatoes, 57, 121, 184.
Wheat variety trials in the South Island, season 1931–32, 281.
Turnip-manuring experiments in the South Island, season 1931–32, 341.
Fowls with foot trouble, 60.
Foy, N. R.—
Germination capacity of rye-grass in relation to price, 27.
Soaking of paspalum seed prior to sowing, 108.
The Official Seed-testing Station: Record of operations for year 1931, 160.
Frost, H. F.—The Orchard 297, 359.
Fruit-trees, a system for selecting varieties of, 227.
Fruit-trees, wire-bracing of, 268.

G.

Germination capacity of perennial rye-grass in relation to price, 27.
Gill, D. A.—Pulpy kidney disease of lambs, 332.
Gnorimoschema plaesiosema Turner, 329.
Government Pure Seed Station : Objective and work of the Lincoln establishment, 249.
Granny Mac apple, 121.
Grass-grub, strawberry-plants destroyed by, 61.

H.

Hadfield, J. W., and Calder, R. A.—Types of kale grown in New Zealand, 63.
Hadfield, J. W., and Thomson, R.—The Government Pure Seed Station, 249.
Hamblyn, C. J.—Pasture establishment on reclaimed tidal flats, 78.
Heat, natural, utilization of, in thermal regions, 292.
Herd-testing in New Zealand, 1931–32 season, 201.
Herd-testing, official, of purebred dairy cows, 257.
Hewlett, C. H., and Hewlett, J. H.—Hot-water treatment of seed barley : Crop results in Canterbury, seasons 1930, 1931, 1932, 104.
Honey, cream of, 61.
Hopkirk, C. S. M.—See Dayus and Hopkirk.
Horticulture (monthly notes), 55, 118, 177, 241, 302, 364.
Hot-water treatment of seed barley : Crop results in Canterbury, seasons 1930, 1931, 1932, 104.
Hudson, A. W., and Woodcock, J. W.—Wheat-manuring experiments in the South Island, season 1931–32, 80.
Wheat variety trials in the South Island, season 1931–32, 281.
Turnip manuring experiments in the South Island, season 1931–32, 341.
Hull, D.—Some aspects of overrun in home-separation buttermaking, 345.
Hume, A. A.—Winton Demonstration Farm : Notes on the 1931-32 season's work, 224.
Hyde, W. C.—Horticulture, 55, 118, 177, 241, 302, 364.

I.

Importation of live-stock into New Zealand, 292.
Increase-seed growing of certified perennial rye-grass : Mother seed and its progeny compared, 187.
Indian Doob grass in lawn, checking of, 124.
Inoculation and top-dressing for lucerne, 124.
Inquiries, answers to, 61, 124, 185, 247, 310.
Insect transmission of dry-rot (*Phoma lingam*) of swedes, 219.
Inspection of town-supply dairies, 320.
Inventions of agricultural interest, 62, 186, 305.
Investigations in pasture production (Marton), 40.

J.

Japanese millet for ensilage, 310.
Jersey world record by Woodlands Felicie, 147.

K.

Kale, types of, grown in New Zealand, 62.
Kidney, pulpy, disease of lambs, 332.
Killings at meat-export works, 248.
Kitto, H. A.—Cod-liver oil for brooder chicks, 42.

L.

Lambing, estimates of the season's, 371.
Lambs, pulpy kidney disease of, 332.
Lampas in horses, 61.
Lands, waste, of New Zealand, 28.
Late blight on potatoes, spraying for, 186.
Leaf-mould of tomato, 136.
Levy, E. Bruce, and Saxby, S. H.—Increase-seed growing of certified perennial rye-grass, 187.
Lick for dairy cows, 60.
Lime and pumice soils, 310.
Lime and superphosphate mixture, 372.
Limonite for control of bush sickness : Farmers' experiences in affected district, 158.
Linseed trials at Government Pure Seed Station, 256.
Lime for drinking-troughs, 372.
Littoral soils, 311.
Live-stock Division—
Stock slaughtered, 1931–32, 32.
Precautions against caseous lymphadenitis in sheep, 233.
Live-stock, importation of, into New Zealand, 292.
Live-stock in New Zealand, 370.
Lloyd George raspberry, 56.
Lucerne cultures, supply of, 245.
Lucerne, inoculating and top-dressing for, 124.
Lymphadenitis, caseous, control of, in sheep, 1.

M.

McGillivray, R., and Elliott, A. G.—Pasture top-dressing experiments in Marlborough, 1929 to 1932, 150,
Mammitis, control of, in dairy cows, 248.
Meat-export works, killings at, 248.
Milk-can, old, as cattle-lick container, 44.
Milk-grading, curd test for, 125.
Milk, mixed, feeding to young calves, 372.
Millet, Japanese, for ensilage, 310.
Moir, G. M.—
Discoloration in cheese, 41.
The curd test for milk-grading, 125.
Mould growth in cheese, 42.
Muggeridge, J.—
Spread of *Pieris rapae* butterfly and progess of parasite work, 132.
The tomato stem borer (*Gnorimoschema plaesiosema* Turner), 329.

N.

Natural heat resources in thermal regions, utilization of, 272.
Nesting conditions, efficient, for fowls, 91.
Nitrogenous fertilizers, inorganic, 18, 142.
Noxious weeds orders, 247, 340.
Number and classification of sheep in New Zealand, 246.

O.

Official herd-testing of purebred dairy cows: Summary of the season's work, 257.
Official Seed-testing Station: Record of operations for year 1931, 160.
Onions, cool storage of, 279.
Orchard pest declared, 57.
Orchard sprays in New Zealand, 33, 70.
Orchard, the (monthly notes), 48, 112, 171, 234, 297, 359.
Overrun, some aspects of, in home-separation buttermaking, 345.

P.

Palpation method in control of caseous lymphadenitis, 3.
Pampas-grass and toetoe, 212.
Parasite of *Pieris rapae* butterfly, 132.
Paspalum seed, soaking of, prior to sowing, 108.
Pasture establishment on reclaimed tidal flats: Some experimental work at Whangarei, 78.
Pasture production, investigations in, 40.
Pasture top-dressing in Marlborough: Experimental work by the Fields Division, period 1929 to 1932, 150.
Paynter, L.—Citrus culture, 50, 114, 172, 236, 298, 360.
Perennial rye-grass certification in season 1931–32, 287.
Perennial rye-grass, germination capacity of, in relation to price, 27.
Pieris rapae butterfly, spread of, and progress of parasite work, 132.
Piripiri and sodium chlorate, 179.
Potash, response to, on grassland, 186.
Potash salts as fertilizers, 321.
Potato certification, 353.
Potato variety trials conducted by the Fields Division: Seasons 1930–31 and 1931–32, 207.
Potatoes, seed, certification of (lists), 57, 121.
Poultry-keeping (monthly notes), 51, 114, 173, 237, 298, 361.
Powdered bluestone for drenching sheep, 248.
Prairie-grass, 185.
Pulpy kidney disease of lambs: Investigational work in 1932 season, 332.
Pumice soils and lime, 310.
Pure Seed Station, the Government, 249.

R.

Ragwort control with sodium chlorate, 371.
Raspberry, Lloyd George, 56.
Red clover certification in season 1931–32, 291.
Rye-grass pastures, certified, in Wairarapa, 186.
Rye-grass, perennial, germination capacity of, in relation to price, 27.
Rye-grass, perennial, increase-seed growing of, 187.

S.

Sand dunes, the, 28.
San Jose scale and poplars, 307.
Saxby, S. H.—See Levy and Saxby.
Sclerotium-disease (*Sclerotinia sclerotiorum*) of tomatoes: Its appearance, cause, and preventive treatment, 260.
Sea littoral soils of New Zealand and their plant covering, 311.
Seasonal notes (monthly), 45, 109, 168, 230, 293, 356.
Seed certification: Summary of operations for season 1931–32, 287, 352.
Seed Station, the Government Pure, 249.
Seed-testing station, official, operations in year 1931, 160.
Sheep in New Zealand, number and classification of, 246.

Shorland, F. B.—See Bruce and Shorland.
Singleton, W. M.—
Woodlands Felicie — World record Jersey, 147.
Dairy-herd testing : Review of the 1931–32 season, 201.
Official herd-testing of purebred dairy cows in 1931–32, 257.
Slaughtered stock, numbers of, in 1931–32, 32.
Small-farm plan cottage (photo), 367.
Smith, J. M.—Waimate West Demonstration Farm : Some notes on the 1931–32 season, 291.
Soaking of paspalum seed prior to sowing, 108.
Sodium chlorate and piripiri, 179.
Sodium chlorate for weed control, 331.
Sodium chlorate, ragwort control with, 371.
Soils of the New Zealand sea littoral and their plant covering, 311.
Some aspects of overrun in home-separation buttermaking, 345.
Some dairy-factory data, 120.
Some economic phases of apple production in New Zealand, 9, 95.
South Island, wheat variety trials in the, season 1931–32, 281.
Spraying for late blight on potatoes, 186.
Sprays, orchard, in New Zealand, 33, 70.
Spread of *Pieris rapae* butterfly and progress of parasite work, 132.
Stock and meat condemned, compensation paid for, 331.
Stock, live, in New Zealand, 370.
Stock slaughtered, 1931-32, 32.
Strawberry-plants destroyed by grass-grub, 61.
Stud stock, exportation of, 355.
Supernumerary teats on heifer calves, 185.
Superphosphate and sweet vernal, 170.
Superphosphate in the drinking-water for cattle, 90.
Sutherland, R.—The cool storage of onions, 279.
Swede dry-rot, insect transmission of, 219.
Sweet vernal and superphosphate, 167.
Synthetic nitrogen products, 18.
System for selecting varieties of fruit-trees, a, 227.

T.

Teats, supernumerary, on heifer calves, 185.
Testing of export butter for moisture and salt content, 351.
Thermal regions, utilization of natural heat resources in, 272.
Thomson, R.—See Hadfield and Thomson.
Tidal flats, reclaimed, pasture establishment on, at Whangarei, 78.
Timothy, growing, for seed crop, 60.
Tobacco-curing shed, dimensions for, 372.
Toetoe and pampas-grass, 212.
Tomato leaf-mould (*Cladosporium fulvum*), 136.
Tomato stem borer (*Gnorimoschema plaesiosema* Turner), the, 329.
Tomatoes, sclerotium-disease of, 260.
Top-dressing of Chewings fescue for seed, 108.
Turnip manuring experiments in the South Island, season 1931–32, 341.
Types of kale grown in New Zealand, 63.

U.

Utilization of natural heat resources in thermal regions, 272.

V.

Viggers, D. A.—Some economic phases of apple production in New Zealand, 9, 95.

W.

Waimate West Demonstration Farm : Some notes on the 1931–32 season, 291.
Washing out cows after calving, 124.
Waste lands of New Zealand, the, 28.
Weather records, 58, 122, 180, 244, 308, 368.
Weeds, noxious, orders, 247.
Whangarei reclaimed tidal flats, pasture establishment on, 78.
Wheat certification, 135, 352.
Wheat-manuring experiments in the South Island, season 1931–32, 80.
Wheat Research Institute, co-operation by the, 206.
Wheat variety trials in the South Island, season 1931–32, 281.
White clover certification in season 1931–32, 289.
Williams, W. R. L.—The Orchard, 48, 112, 171, 234.
Winton Demonstration Farm : Notes on the 1931–32 season's work, 224.
Wire-bracing of fruit-trees, 268.
Woodcock, J. W., and Claridge, J. H.—Potato variety trials conducted by the Fields Division, 207.
Woodcock, J. W.—See Hudson and Woodcock.
Woodlands Felicie qualifies for certificate of record, 259.
Woodlands Felicie — World record Jersey : New Zealand cow's performance under C.O.R. test, 147.